

L Number	Hits	Search Text	DB	Time stamp
-	30	(OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 14:43
-	1	"20020156789"	USPAT; US-PGPUB; IBM_TDB	2004/01/04 19:18
-	0	((dataspace or (data adj space)) same (dataserver or (data adj server))) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/04/08 16:59
-	414	(dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/04/28 20:39
-	2	((OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<20010216)) and ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216))	USPAT; US-PGPUB; IBM_TDB	2004/01/06 14:28
-	17	(OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<20010216) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object)	USPAT; US-PGPUB; IBM_TDB	2003/04/09 20:59
-	4	((dataspace or (data adj space)) same (dataserver or (data adj server))) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/04/28 20:41
-	66	(dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/04/09 20:56
-	280	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/05/03 12:21
-	174	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/05/03 11:58
-	7	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)) and ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216) and 707/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/04/09 20:57
-	47	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object)	USPAT; US-PGPUB; IBM_TDB	2003/04/09 20:59
-	1	"20020156789"	USPAT; US-PGPUB; IBM_TDB	2003/04/28 21:55
-	31	(OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/04/28 21:59
-	415	(dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/05/03 12:23
-	5	(dataspace or (data adj space)) and (dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/04/28 21:58

-	47	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 21:58
-	0	((OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<20010216)) and ((instantiat\$3 or construct\$3) with object) and ((inflat\$3 or populat\$3) with (object or attribute))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 22:04
-	0	((OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<20010216)) and ((instantiat\$3 with inflat\$3 with demand\$3) or (just with time with instantiat\$3))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 22:04
-	5	((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)) and ((instantiat\$3 or construct\$3) with object) and ((inflat\$3 or populat\$3) with (object or attribute))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 22:04
-	0	((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)) and ((instantiat\$3 with inflat\$3 with demand\$3) or (just with time with instantiat\$3))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 22:04
-	0	((dataspace or (data adj space)) and (dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)) and ((instantiat\$3 or construct\$3) with object) and ((inflat\$3 or populat\$3) with (object or attribute))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 22:04
-	0	((dataspace or (data adj space)) and (dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)) and ((instantiat\$3 with inflat\$3 with demand\$3) or (just with time with instantiat\$3))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 22:04
-	2	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)) and ((instantiat\$3 or construct\$3) with object) and ((inflat\$3 or populat\$3) with (object or attribute))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 22:04
-	0	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216)) and ((instantiat\$3 with inflat\$3 with demand\$3) or (just with time with instantiat\$3))	USPAT; US-PGPUB; IBM_TDB	2003/04/28 22:05
-	520	(OLAP or (on adj line adj analytic\$5 adj process\$3)) or ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<20010216) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/05/03 12:21

-	36	((OLAP or (on adj line adj analytic\$5 adj process\$3)) or ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object)) and (@ad<20010216) and 707/\$.ccls.) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable))	USPAT; US-PGPUB; IBM_TDB	2003/05/03 12:18
-	15	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/05/03 12:22
-	26	(dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/05/03 12:29
-	41	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<20010216)) or ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<20010216))	USPAT; US-PGPUB; IBM_TDB	2003/05/03 12:30
-	3	((((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<20010216)) or ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<20010216))) and XML	USPAT; US-PGPUB; IBM_TDB	2003/05/03 12:30
-	25	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and XML and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2003/05/03 15:21
-	74	((instantiat\$5 or inflat\$3 or declare\$3 or declar\$3 or initializ\$5) with object) same adaptiv\$7	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:30
-	53	((((instantiat\$5 or inflat\$3 or declare\$3 or declar\$3 or initializ\$5) with object) same adaptiv\$7) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 16:51
-	505	((instantiat\$3 or creat\$3 or inflat\$3 or declar\$3) wiht (object or class)) and ((multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/06 14:55

-	0	((instantiat\$3 or creat\$3 or inflat\$3 or declar\$3) with specified with (object or class)) and ((instantiat\$3 or creat\$3 or inflat\$3 or declar\$3) with (nonspecified or (non adj specified)) with (object or class)) and ((multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 18:40
-	1473	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:39
-	2	((((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) same adaptiv\$7) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:36
-	74	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object) same adaptiv\$7	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:35
-	396	(object near model\$3) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:33
-	84	((((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) same (demand\$3 or needed)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 17:16
-	26	(object near model\$3) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) same (demand\$3 or needed)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:52
-	5538	((instantiat\$5 or inflat\$3 or declar\$3 or creat\$3) with object\$2 with (specif\$9 or request\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:55
-	1222	(object near model\$3) and ((instantiat\$5 or inflat\$3 or declar\$3 or creat\$3) with object\$2 with (specif\$9 or request\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:58
-	78	(object near model\$3) and ((instantiat\$5 or inflat\$3 or declar\$3 or creat\$3) with object\$2 with (specif\$9 or request\$3)) same (demand\$3 or needed)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 10:58
-	26	((((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) same (demand\$3 or needed)) and (@ad<20010216) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/01/07 17:26
-	1304	((instantiat\$3 or inflat\$3 or creat\$3 or declar\$3) with (specif\$9 or request\$3) with (object or class)) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 17:26
-	280	(instantiat\$3 with (specif\$9 or request\$3) with object) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 17:50
-	39	((instantiat\$3 with (specif\$9 or request\$3) with object) same (demand\$3 or need\$3)) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 17:38

-	173	((instantiat\$3 or inflat\$3 or creat\$3 or declar\$3) with (specif\$9 or request\$3) with object) same database) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 17:51
-	34	((instantiat\$3 with (specif\$9 or request\$3) with object) same database) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/01/07 17:51
-	53	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 14:45
-	48	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. and (@ad<20010216) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with (object or data))	USPAT; US-PGPUB; IBM_TDB	2004/10/27 16:56
-	16	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. and (@ad<20010216) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with (object or data)) and ((instantiat\$5 or creat\$3 or inflat\$3 or populat\$3) with object)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 19:23
-	193	((instantiat\$5 or inflat\$3 or declar\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) same adaptiv\$7) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 18:21
-	150	((adaptiv\$7 or (two adj stage) or (on adj demand\$3)) with (instantiat\$5 or inflat\$3 or declar\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 16:56
-	129	((dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) near3 (database or dataspace or (data adj space))).ab. and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 19:12
-	0	((instantiat\$5 or inflat\$3 or declar\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with "when" with (database or olap or model) with access\$3) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 18:22
-	360	((instantiat\$5 or inflat\$3 or declar\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with (database or olap or model) with access\$3) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/28 14:05
-	99	((instantiat\$5 or inflat\$3 or declar\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with (database or olap or model) with access\$3) and ((instantiat\$5 or inflat\$3 or declar\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with (limit\$3 or request\$3) with object) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 18:23
-	42	((instantiat\$5 or inflat\$3 or declar\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with (database or olap or model) with access\$3) and ((instantiat\$5 or inflat\$3 or declar\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with (limited or requested) with object) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 18:24

-	0	(adaptive with instantiat\$5 with inflation) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 18:40
-	168	((OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. or ((dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) near3 (database or dataspace or (data adj space))).ab.) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 19:15
-	48	((OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. or ((dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) near3 (database or dataspace or (data adj space))).ab.) and (@ad<20010216) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 19:15
-	76	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)) and (@ad<20010216) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) and (707/\$.ccls. or 705/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 20:04
-	9	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)) and (@ad<20010216) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with (demand\$3 or request\$3 or adaptive or partial or (two near3 stage))) and (707/\$.ccls. or 705/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2004/10/28 10:02
-	9	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with (specified or certain) with object with (database or olap or model) with access\$3) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/28 14:31
-	291	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with demand\$3) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/28 14:32
-	291	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with demand\$3) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/28 14:51
-	93	((access\$3 or search\$3 or quer\$5) with database) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with demand\$3) and (@ad<20010216)	USPAT; US-PGPUB; IBM_TDB	2004/10/28 15:52